



Helping to protect lives globally

Jo**Bird**[®]

BUILT BY **THE BEST** TO
WITHSTAND **THE WORST.**

Product data sheet

JB81 EEBD cabinet



Typical use:

For the storage of 1 x 10-15 minute emergency escape breathing apparatus. Designed to cope with extreme environments on and offshore. It is widely used by the world's top energy company due to its durability.

Description:

These cabinets are manufactured using Lloyds approved composites including UV resistant gel-coats to provide long lasting protection for the fire extinguisher in even the harshest environments. This is backed up with an excellent IP rating of 56. It has both Lloyds and ABS approvals.

The design ensures a high level of rigidity for the relatively low weight with a very effective EPDM seal around the door aperture. The hinges are secured with 316 stainless steel nuts, bolts and washers.

The door can be specified with left or right hinging and features a nylon rotary handle with anti-tamper facility to guarantee fast access in an emergency even when wearing gloves.

Standard specification:

Dimensions (mm)

Height x width x depth: 636 x 442 x 283

Aperture: 491H x 302W

Internal depth: 222

Weight Kg: 7.4 Kg

Material specification:

Colour: Green RAL 6029

Material: Lloyds approved composites with UV stabilised gelcoat

Hinge: Nylon graphite

Handle: Nylon/316 Stainless steel rotary

Seal: EPDM

Optional Extras:

Other RAL colours

Class 1 fire retardant composites

Perspex window

Stainless steel hinges



Manufactured in the UK

